



+86-574-63255917



+86-(0)-135 8668 7007



nbjoan@263.net

*innovative
comfort*



Heating

Cooling

ORIGINAL CREATIVE
INNOVATIVE HEATING AND COOLING
SINCE 2006



21

YEARS OF PRODUCTION

"SPECIALIST MANUFACTURER OF INNOVATIVE HEATING AND COOLING"

19

YEARS OF EXPORTING

"EXPORT TO OVER 30 DIFFERENT COUNTRIES ALL OVER THE WORLD"

100

PROFESSIONAL ENGINEERS AND MAN POWERS

"FOCUS ON AND SPECIALIST"

59

PIECES OF STANDARD CERTIFICATES AND PATENTS

"ORIGINAL CREATIVE AND RELIABLE"

ABOUT US

Our company is an innovative comfort creator, aim to provide the worldwide people with efficient and affordable heating&cooling appliances, to make your home more comfortable.





Our mission

- Durable quality
- Value for price
- Efficient communication
- Exceed your expectation



Our production place reached up to 20000 square meter, we have established a comprehensive quality control system according to ISO 9001 and BSCI standard, our yearly production capacity is more than one million pieces. Our professional R&D teams bring several new innovative heaters and coolers to the market in every year.

What we believe is “work together, trust together, grow together, win together” !

CERTIFICATES



CONTENTS

EVAPORATIVE AIR COOLER	PAGE 02-09
ELECTRIC COOLING FAN	PAGE 10-19
ELECTRIC HEATER	PAGE 20-31

Personal Air Cooler



AC-08

- Fan Speed Settings: Low/Mid/High
- USB Power Supply
- With replaceable ice packs to cool down the air (2pcs)
- Built-in 7 colour atmosphere lights
- Adjustable tilt-angle
- Simple operation
- 1 x USB Type-C cable include



LZ01-19QR

- Fan Speed Settings: Low/Mid/High
- 2pcs Detachable water box Capacity: 750ml
- 2 in 1 Function: Air Cooler/ Humidifier
- With 7 colour LED light
- 1 x USB cable include

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
AC-08	10W	7.2/8.4	645×245×590/8pcs	2560	5280	5840
LZ01-19QR	5w	9/12.1	1190×205×370/12pcs	4632	9612	11508



Compact square Shape
Centrifugal blower, providing whole room
air circulation



LL04-18J



- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 6L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LL04-18J	65w	4.7/5.6	350×320×650	400	826	952



LL04-18JR

LRG04-18JR (with Heating function)

- 3 Fan Speed: Low/Mid /High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 6L
- Detachable Water tank for easy clean and fill water, to avoid Bacterium pollution
- LED display screen (can be turn-off independently)
- Remote control
- 0~12 hours timer
- Easy to fill crushed ice and water at top cover
- Portable handle and wheels for easy movement
- ionizer to refresh air (optional)

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LL04-18JR	65w	4.7/5.6	350×320×650	400	826	952
LRG04-18JR	cooling: 65w heating:2000w	4.7/5.6	350×320×650	400	826	952



LQ-AC02

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 4L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator



LQ-AC02S

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 4L
- Cooler/Humidifier function
- Automatic horizontal swing
- Detachable Water tank with level indicator
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-AC02	80w	3.9/4.7	300×275×600	600	1200	1350
LQ-AC02S	80w	4.0/4.8	300×275×600	600	1200	1350



LQ-AC07

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 4L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator



JDAC65R



- Fan Speed Settings: Low | Mid | High
- 3 Fan Mode: Normal | Nature | Sleep
- Water Tank Capacity: 4L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Detachable water tank for easy deep clean
- Wheels for easy movement
- Remote control
- LED indicator lights
- 0~12hours timer

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-AC07	80w	3.5/4.1	280×252×530	780	1635	1890
JDAC65R	60W	3.8/4.7	280×260×590	720	1370	1620



LG04-11C

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 8L
- 3 in 1 Function: Air Cooler/ Air Purifier/ Humidifier
- Automatic horizontal swing
- Detachable Water tank with level indicator
- 0~2 hours timer



LG04-11CR

LRG04-11CR

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 8L
- 0~7.5hours timer
- Automatic horizontal swing
- Detachable Water tank with level indicator
- Ionizer to fresh the air
- Remote control
- LRG04-11CR with Heating function(2000w)



Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LG04-11C	65w	6.4/7.6	418x332x747	274	588	680
LG04-11CR	65w	6.5/7.7	418x332x747	274	588	680
LRG04-11CR	cooling: 65w heating: 2000w	6.7/7.9	418x332x747	274	588	680

RFS-2388

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 8L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Detachable water tank for easy deep clean
- Wheels for easy movement
- Top ice tray design



RFS-2388R (Remote control)

- Fan Speed Settings: Low/Mid/High
- 3 Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 8L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Detachable water tank for easy deep clean
- Wheels for easy movement
- Top ice tray design
- Remote control
- LED display
- 0~12hours timer



Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
RFS-2388	65W	4.5/5.5	287×328×625	500	1029	1160
RFS-2388R	65W	4.5/5.5	287×328×625	500	1029	1160



LG04-11BR1

LRG04-11BR1

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Water Tank Capacity: 8L
- 0~9hours timer
- Automatic horizontal swing
- Detachable Water tank with level indicator
- Ionizer to fresh the air
- Remote control
- LRG04-11CR with Heating function(2000w)



Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
LG04-11BR1	65w	6.5/7.7	433×331×864	225	469	567
LRG04-11BR1	cooling: 65w heating: 2000w	6.7/7.9	433×331×864	225	469	567



BW-102

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 6L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Wheels for easy movement
- Top ice tray design



BW-102Y (Remote control)

- Fan Speed Settings: Low/Mid/High
- Water Tank Capacity: 6L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Wheels for easy movement
- Top ice tray design
- Remote control
- 0~7 hours timer

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BW-102	65W	2.8/3.7	250×290×570	690	1440	1630
BW-102Y	65W	2.8/3.7	250×290×570	690	1440	1630



BL-SD3-D

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Detachable Water Tank Capacity: 6L
- Cooler/Humidifier/Purify function
- Automatic horizontal louvers swing
- Manual vertical air direction adjust
- Touch control
- 0~12hours timer
- Remote control



WTF-01L

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- Detachable Water Tank Capacity: 7L
- Cooler/Humidifier/Purify function
- Oscillating for wide scope cooling
- LED display screen and touch control
- Easy to fill cold water and ice cubes at top cover
- LED lights can be turn-off for better sleep
- 0~12hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BL-SD3-D	80w	4.7/5.9	915x327x266	357	721	840
WTF-01L	75w	5.8/6.8	1115x335x295	400	840	980

Brushless DC motor Air Cooler 12L

RFS-106Y-DC

RFS-106Y-DC-R (with Battery)

- Brushless DC motor, low consumption and energy-saving
- Power: 40W
- 9 Fan Speed Levels
- 3 Fan Mode: Normal | Nature | Sleep
- Water Tank Capacity: 12L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Detachable water tank for easy deep clean
- Top ice tray to easy fill water and ice
- Wheels for easy movement
- Remote control
- LED display screen
- 0~12hours timer
- Max Air Speed>9.5m/s
- Foldable design to saving packing space

* RFS-106Y-DC-R with 10,000 mAh Rechargeable Lithium-ion battery



Foldable design

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
RFS-106Y-DC	40W	4.8/5.7	350×300×515	535	1120	1250
RFS-106Y-DC-R	40W	5.0/5.9	350×300×515	535	1120	1250



12L Potable Air Cooler

RFS-19

RFS-19R (RC)

- Power: 80W
- 3 Fan Speed: Low | Mid | High
- Water Tank Capacity: 12L
- 3-in-1 Function: Fan/Air Cooler/Air refresher& humidifier
- Automatic horizontal louvers swing
- Top ice tray to easy fill water and ice
- Wheels for easy movement

Advance features for RFS-19R

- 3 Fan Mode: Normal | Nature | Sleep
- Remote control
- LED indicator lights
- 0~7.5 hours timer

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
RFS-19	80w	5.1/6.2	330×330×770	336	710	815
RFS-19R	80w	5.2/6.3	330×330×770	336	710	815

Customize Your Breeze

tailor speed and modes for ultimate comfort



2 Way to Control

LED touch panel & remote control, easy to operate it everywhere



CF-01

- Fan Speed Settings: Low/Mid/High
- 3 in 1 Air circulating Fan: Table Fan, Stand Fan, Pedestal Fan
- Oscillation from left to right
- Oscillation from up & down



CF-01R

- Fan Speed Settings: Low/Mid/High
- 3 in 1 Air circulating Fan: Table Fan, Stand Fan, Pedestal Fan
- Oscillation from left to right
- Oscillation from up & down
- LED display and touch control
- 0~12 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
CF-01	45w	2.6/3.8	460x270x325	650	1380	1600
CF-01R	45w	2.6/3.8	460x270x325	650	1380	1600



3-in-1 Air Circulating Fan

ZR-XHS-30

ZR-XHS-30R (RC)

- 3 Fan Speed: Low | Mid | High
- Power:45W
- Grill:30cm
- Wide angle oscillation
- 3-in-1 Height adjustable: 45cm as Table Fan, 75cm as Mid-standing Fan, 104cm as Pedestal Fan
- Adjustable tilt-angle
- Simple installation

Advance features for ZR-XHS-30R

- 0~12 hours timer
- Remote control
- LED display and touch control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
ZR-XHS-30	45w	2.3/2.8	325×325×305	880	1860	2120
ZR-XHS-30R	45w	2.3/2.8	325×325×305	880	1860	2120


CG-01

CG-01R




Basic Feature

- Size: 14"
- 3 Fan Speed: Low/Mid/High
- 360degree Oscillating, 3D winds for air circulating
- 3-in-1 adjustable height: 52cm as Table Fan, 72cm as Mid-Stand Fan, 92 cm as Standing Fan
- Oscillation left & right and up & down
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed>6m/s
- Adjustable tilt-angle
- Simple installation, Fan head assembled already



Horizontal Oscillating



Vertical Oscillating

Advance feature for CG-01R

- LED display
- 0~12 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
CG-01	45w	2.8/3.8	505x215x370	750	1544	1710
CG-01R	45w	2.8/3.8	505x215x370	750	1544	1710



3 Adjustable Heights – doubles as a Desk Fan and Stand Fan

CG-022

CG-022R (with remote)



Basic Feature

- Size: 14'
- 3 Fan Speed: Low/Mid/High
- 3-in-1 adjustable height: 40cm as Table Fan, 70cm as Mid-Standing Fan, 98 cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 6m/s
- Adjustable tilt-angle
- Round base diameter: 32cm
- Simple installation, Fan head assembled already

Advance feature for CG-022R

- 0~7.5 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
CG-022	45w	2.3/3.2	350x285x370	800	1650	1848
CG-022R	45w	2.3/3.2	350x285x370	800	1650	1848



2-in-1 Multi Fan blades Cooling Fan

BW-360 BW-360Y (RC)

- 3 Fan Speed: Low | Mid | High
- Power: 45W
- Fan blade: 30cm
- Wide angle oscillation
- 2-in-1 Height adjustable: 60cm as Table Fan, 90cm as Pedestal Fan
- Multi-Fan blades for super quietly cooling and long distance air flow
- Max air speed > 5m/s
- Adjustable tilt-angle

Advance features for BW-360Y

- 0~7 hours timer
- 2 Fan Mode: Normal/Sleep
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BW-360	45w	2.5/3.2	350×175×440	1070	2240	2600
BW-360Y	45w	2.5/3.2	350×175×440	1070	2240	2600



BW-361

- Fan Speed Settings: Low/Mid/High
- 3 in 1 adjustable height: 60cm as Table Fan, 90cm as Floor Fan, 120cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 5m/s
- Adjustable tilt-angle
- Steady round base

BW-361Y

- Fan Speed Settings: Low/Mid/High
- Fan Mode: Normal/Nature/Sleep
- 3 in 1 adjustable height: 60cm as Table Fan, 90cm as Floor Fan, 120cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 5m/s
- Adjustable tilt-angle
- Steady round base
- 0~7 hours timer to set off
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BW-361	45w	4.9/5.4	350x280x370	790	1570	1800
BW-361Y	45w	4.9/5.4	350x280x370	790	1570	1800



MFS-360

MFC-360R (with remote)



Basic Feature

- Size: 16'
- 3 Fan Speed: Low/Mid/High
- 3-in-1 adjustable height: 70cm as Table Fan, 105cm as Mid-Standing Fan, 137cm as Pedestal Fan
- Oscillation
- Multi-Fan blades for super quietly cooling and strong air flow
- Max air speed > 7m/s
- Adjustable tilt-angle
- Steady round base
- Simple installation, Fan head assembled already

Advance feature for MFC-360R

- Fan Mode: Normal/Sleep
- 0~7 hours timer
- Remote control

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
MFS-360	50w	4.6/5.5	440x290x470	520	1040	1170
MFS-360R	50w	4.6/5.5	440x290x470	520	1040	1170

Rechargeable bladeless Desk Fan



BF-001

- Bladeless design
- 3 Fan speed: Low/Mid/High
- Rechargeable 2200mAh Lithium-ion battery
- Battery capacity remaining display
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord
- 1 x USB cable include
- Height: 340mm



BF-002

- Bladeless design
- 3 Fan speed: Low/Mid/High
- Rechargeable 2200mAh Lithium-ion battery
- Battery capacity remaining display
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord
- 1 x USB cable include
- Height: 390mm

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
BF-001	5w	7.8/10.6	600×450×380/12pcs	3240	6942	8100
BF-002	5w	7.0/9.2	750×300×420/10pcs	2940	6300	7200

Rechargeable Personal Fan



BF-003

- Rechargeable DC 5V , 2A
- Fan Speed Settings: Low/Mid/High
- 1800mAh Lithium-ion battery
- 360 degree tilt angle
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord

Rechargeable Camping Fan



RCF-001

- Rechargeable DC 5V , 10W
- 4 Fan Speed Settings: Low/Mid/High/Max
- 6600mAh Lithium-ion battery
- 7 Fan blades
- Adjustable tilt angle
- Mounted hook include
- Rechargeable with Hybrid Cooling, can be used cordless or with USB cord

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
BF-003	5W	7.2/8.0	580×460×265 (12PCS)	4860	10320	12000
RCF-01	10W	4.8/5.8	345×305×470 (3PCS)	1740	3600	5200

100cm Tower Fan



TF1001T (with timer)

- 3 Fan Speed: Low I Mid I High
- Cooling Power: 45W
- 0~7.5 hours timer
- Wide angle oscillation
- Max air speed > 5.5 m/s

TF1001B (RC)

- 3 Fan Speed: Low I Mid I High
- Cooling Power: 45W
- 3 Fan Mode: Normal I Nature I Sleep
- LED indicator lights, Touch control
- Remote control
- 0~7.5 hours timer
- Wide angle oscillation
- Max air speed > 5.5 m/s

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
TF1001T	45W	4.1/5.0	1000×200×200	700	1450	1700
TF1001B	45W	4.2/5.1	1000×200×200	800	1450	1700



88cm Bladeless Tower Fan

BLF-303

- Bladeless design, Morden Safety and Pure Air
- Cooling Power: 60W
- 3 Fan Speed: Low I Mid I High
- Wide angle oscillation
- Max air speed > 6 m/s
- Carbon filter pad to purify the air

* HEPA Filter optional



88cm Bladeless Tower Fan with RC

BLF-303L

- Bladeless design, Morden Safety and Pure Air
- Cooling Power: 60W
- 3 Fan Speed: Low I Mid I High
- Wide angle oscillation
- Max air speed > 6 m/s
- Carbon filter pad to purify the air
- LED display screen, Touch control
- 0~12 hours timer
- Remote control

* HEPA Filter optional

Model	Power	N.W./G.W.(Kg)	Gift Box Size (mm)	PCS/20	PCS/40	PCS/40HQ
BLF-303	60W	2.8/3.7	250×260×905	500	1050	1160
BLF-303L	60W	2.8/3.7	250×260×905	500	1050	1160



88cm Brushless DC Motor Bladeless Tower Fan

BLF-303L-DC

- Brushless DC motor, low consumption and Energy-saving
- 24 Fan Speed Levels
- Cooling Power: 35W
- LED display screen, Touch control
- Remote control
- 0~12 hours timer
- Wide angle oscillation
- Max air speed > 8 m/s
- Steady base and space saving

* HEPA Filter optional

Model	Power	N.W./G.W.(Kg)	Gift Box Size (mm)	PCS/20	PCS/40	PCS/40HQ
BLF-303L-DC	35W	2.8/3.7	250×260×905	500	1050	1160



90cm

Bladeless Tower Fan

BLF-304L

BLF-304L-DC

- 3 Fan Speed: Low | Mid | High
- Cooling Power: 60W
- LED display screen, Touch control
- Remote control
- 0~12 hours timer
- Wide angle oscillation
- Max air speed > 6 m/s
- Steady base and space saving

Advance features for BLF-304L-DC (Brushless DC motor)

- 24 Fan Speed Levels
- Brushless DC motor, low consumption and Energy-saving
- Max Air Speed>8m/s

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BLF-304L	60w	2.9/3.8	925×260×270	430	895	1000
BLF-304L-DC	35w	2.8/3.7	925×260×270	430	895	1000



85cm Bladeless Tower Fan

BLF-305L

BLF-305L-DC

- 3 Fan Speed: Low | Mid | High
- Cooling Power: 60W
- LED display screen, Touch control
- Remote control
- 0~12 hours timer
- Wide angle oscillation
- Max air speed > 7 m/s
- Steady base and space saving

Advance features for BLF-305L-DC (Brushless DC motor)

- 24 Fan Speed Levels
- Brushless DC motor, low consumption and Energy-saving
- Max Air Speed>9m/s

Model	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
BLF-305L	60w	2.8/3.7	875×250×260	508	1095	1230
BLF-305L-DC	35w	2.7/3.6	875×250×260	508	1095	1230

High Velocity Fan



DFC-F series Black colour

- High velocity cooling fan
- Fan Speed Settings: Low/Mid/High
- Aluminium blade



DFC-F series Chrome colour

- Full metal housing
- Strong and safety grill
- Adjustable tilt-angle

Model	Size(inch)	Power	N.W./G.W.(Kg)	Gift box size(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F12	12'	40w	2.7/3.3	360×170×360	1296	2724	3050
DFC-F14	14'	50w	2.9/3.7	420×180×430	910	1820	2100
DFC-F16	16'	90w	3.5/4.2	470×185×470	720	1490	1630
DFC-F18	18'	110w	4.7/5.5	510×185×510	572	1196	1380
DFC-F20	20'	120w	5.4/6.2	550×190×550	480	1008	1175



PTC HEATER



HP-12AR

- Two heating power
- Electronic temperature control ranges:15-35°C
- Over-heat Protection
- PTC heating element,instant heating
- 0~9 hours timer
- Oscillation
- tip-over switch



PTC-2018

- Two heating power
- Electronic temperature control ranges:15-37°C
- Over-heat Protection
- PTC heating element,instant heating
- 0~9 hours timer
- Oscillation
- tip-over switch

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HP-12AR	600/1200w	13.2/14.2	440x320x520/12PCS	4764	9960	10920
PTC-2018	600/1200w	13.2/16.6	530x400x535/12PCS	3108	6228	7344



Low Profile Heat

PTC-820



- 2 heating power:1400/2000W
- Adjustable thermostat control
- Cool winds available
- Over-heat Protection
- PTC heating element, instantly heat
- Portable carry handle
- Turbo Fan blower, super quietly and high efficient
- Low Profile heating, ideal to warm feet

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-820	1400/2000w	9.6/12.5	435x290x500/6PCS	2826	5874	6564



Bladeless Ceramic Heater

LQ-PTC1903R

- Power Settings: Fan | Low(1000w) | High (1500w)
- Adjustable thermostat control
- LED display screen and Touch control
- 0~12 hours timer
- Remote control
- Wide angle oscillation
- Bladeless design, safety and comfortable heating
- PTC Heating element, rapid heating
- Over-heating protection
- Tip-over switch
- Detachable filter

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-PTC1903R	1500W	2.1/2.5	220×220×415	1400	2800	3370



2-in-1 Hot + Cool Bladeless Tower Heater + Fan

BLFH-309L

- Heat Powe Settings: Low 1000w | High 2200w
- 3 Fan Speed for Cooling: Low | Mid | High
- Electronic temperature control: 15-45C
- LED display screen and Touch control
- 0~12 hours timer
- Wide angle oscillation
- Bladeless design, safety and comfortable air
- PTC Heating element, rapid heating
- Over-heating protection
- Tip-over switch
- Remote control

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
BLFH-309L	2200W	3.5/4.5	250×260×905	500	1050	1160



2-in-1 Fan+Heater Bladeless Tower Heater

BHN2502R

- 2 Heat Power for Heating: Low 1000w | High 2000w
- 3 Fan Speed for Cooling: Low | Mid | High
- Electronic temperature control: 15-40C
- LED display screen and Touch control
- 0~12 hours timer
- Wide angle oscillation
- Bladeless design, safety and comfortable air
- PTC Heating element, rapid heating
- Over-heating protection
- Tip-over switch
- Remote control
- Height: 860mm

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
BHN2502R	2000w	3.2/4.2	905×270×270	420	870	1030



PTC-2077L

- Two heating power
- Electronic temperature control ranges:15-35°C
- Over-heat Protection
- PTC heating element, instant heating
- 0~8 hours timer
- Oscillation
- tip-over switch
- Fire flame effective and can be turn-off separately
- LED display and touch control
- Remote control



PTC-2071L

- Two heating power
- Electronic temperature control ranges:15-35°C
- Over-heat Protection
- PTC heating element, instant heating
- 0~8 hours timer
- Oscillation
- tip-over switch
- Fire flame effective and can be turn-off separately
- LED display and touch control
- Remote control

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-2077L	1000/2000w	12/16.6	540x380x665/4PCS	1230	2550	3000
PTC-2071L	1000/2000w	13.5/17.8	915x425x380(4PCS)	720	1520	1720



Slimline digital Ceramic Tower Heater with Mood lights



Fan



Low Heat




High Heat



PTC-920L

- Power Settings: Fan/Low Heat/High Heat
- ECO energy-saving Mode
- Electronic temperature control ranges: 15-35°C
- Over-heat Protection
- PTC heating element, instant heating
- 0~9 hours timer
- Oscillation
- tip-over switch
- Atmosphere lights (blue/purple/red)
- LED display and touch control
- Remote control



Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-920L	1200/2000w	2.0/2.5	210x210x580	1188	2420	2695



Industrial Ceramic Heater



IFH-20B



IFH-20A



IFH-30A

- Two heating power
- Adjustable thermostat (Only for IFH-20A IFH-30A)
- Over-heat Protection
- PTC heating element, instant heating
- Adjustable tilt-angle
- Metal housing

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
IFH-20B	1000/2000w	8.5/11.0	700x240x370 (6PCS)	2682	5598	6600
IFH-20A	1000/2000w	9.9/12.8	535x280x630 (6PCS)	1824	3840	4224
IFH-30A	1500/3000w	14.2/17.8	620x305x715(6PCS)	1326	2832	3120



NSB-200A

- Two heating power: 1000/2000W
- Cool wind available
- Adjustable thermostat
- Over-heat Protection
- Power indicator
- Portable handle
- Optional: Tip-over switch




FH-18

IP21 Suitable
For bathroom

- Two heating power:1000/2000W
- Cool wind available
- Adjustable thermostat
- Over-heat Protection
- Power indicator light
- Portable handle
- tip-over switch optional
- IP21 for bathroom use (FH18-P)

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
NSB-200A	1000/2000w	8/9.2	580x230x550/8PCS	3008	6400	7640
FH-18/FH18-P	1000/2000w	6/7.1	435x210x535/6PCS	3060	6570	7500



2-in-1 Air Circulator Fan & Heater



VH2000

- 2-in-1 Air Circulation Fan & Heater
- Hot Wind for winter & Cool Wind for summer
- Two heating power
- Adjustable thermostat
- Over-heat Protection
- High air volume
- tip-over switch

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
VH2000	1000/2000w	9.6/11.3	628x300x530 (6PCS)	1662	3444	4038

Oil Free Radiator Heater

CFH-X (Remote)

CFH-XA (wifi)



Oil Free radiator

- Tempered glass front panel, elegant design
- Full metal housing for better heat efficient
- Double aluminum heating elements, super heat efficient
- 3 Heat Mode: anti-frost/low heat/High heat
- Electronic temperature control:15-50°C
- LED display Screen
- 0~24hours timer
- Touch control
- Remote control
- Over-heat protection
- Tip-over switch
- Wheels for easy movement

Advance feature for CFH-XA

- with Tuya WIFI & APP with 7x24h weekly mode

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
CFH-200X	2000w	5.8/7.0	545×150×670	510	1060	1240
CFH-250X	2500w	5.8/7.0	545x150x670	510	1060	1240



HDB-C3

- Adjustable thermostat control
- Over-heat protection
- Portable handle
- Cord storage
- Power indicator light

Model	Fins	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HDB-C2-5	5	500w	2.5/3.0	270×130×425	1880	3900	4386
HDB-C2-7	6	700w	3.5/4.0	340×130×425	1480	3060	3440
HDB-C2-9	9	1000w	4.6/5.2	420×130×425	1210	2510	2840
HDB-C2-11	11	1000w	5.7/6.2	495×130×425	1030	2130	2400



HDB-E3

- 3 Heating Power
- Adjustable thermostat control
- Over-heat protection
- Portable handle
- Cord storage
- Tip-over switch
- Wheels for easy movement

Model	Fins	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
HDB-E3-5	5	400/600/1000w	4.6/5.2	295×135×590	1197	2460	2950
HDB-E3-7	7	600/900/1500w	5.8/6.6	390×135×590	906	1890	2200
HDB-E3-9	9	800/1200/2000w	7.2/8	465×135×590	756	1575	1900
HDB-E3-11	11	1000/1500/2500w	8.6/9.5	540×135×590	646	1355	1628

COH-X (Remote)

COH-XA (wifi)



- Tempered glass front panel, elegant design
- Full metal housing for better heat efficient
- 3 Heat Mode: anti-frost/low heat/High heat
- Electronic temperature control:15-50°C
- LED display Screen
- 0~24hours timer
- Touch control
- Remote control
- Over-heat protection
- Tip-over switch
- Wheels for easy movement

Advance feature for COH-XA

- with Tuya WIFI & APP with 7x24h weekly mode


Model	Fins	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
COH-200X-9	9	2000w	9.2/10.7	505×150×670	530	1110	1300
COH-250X-11	11	2500w	12.5/14	585×150×670	460	960	1135

OH-250DX

- Tempered glass front panel, elegant design
- 3 Heating Power
- 3 Heating Mode:anti frost/low heat/High heat
- Electronic temperature control:15-50°C
- LED display, 24hours timer
- touch control switch with Tuya WIFI & APP with 7x24h weekly mode
- Over-heat protection
- Tip-over switch
- Wheels for easy movement
- Black or White color available
- 9Fin/11Fin/13Fin



Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
QH-200DX-9	800/1200/2000w	9.2/10	465×140×655	648	1350	1600
QH-250DX-11	1000/1500/2500w	10.5/11.8	540×140×655	552	1158	1360
QH-300DX-13	1200/1800/3000w	11/12.5	615×140×655	486	1026	1216



Fireplace Heater

LQ-FP90B



- Heating Power: Low (900w) | High (1800w)
- Adjustable thermostat control
- PTC Heating element, rapid heating
- Over-heating protection
- Tip-over switch
- Flame effective control

Fireplace Heater with Remote

LQ-FP96S



- Heating Power: Low (1000w) | High (2000w)
- Electronic temperature control: 15-38C
- LED display screen, Touch control
- Remote control
- 0~12 hours timer
- Over-heating protection
- Tip-over switch
- Flame effective control
- 3-Side transparent tempered glass

Model	Power	N.W./G.W.(Kg)	Carton box size(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-FP90B	1800W	3/3.5	395×255×440	650	1340	1550
LQ-FP96S	2000W	3.9/4.9	380×230×515	550	1150	1350

